


# UNDERFLOOR HEATING (UFH) BOARDS


## 25MM INSULATED XPS FOAM BOARD



**16MM**  
CHANNELS  
FOR LAYING  
10-16MM  
PIPING SAVING  
TIME & MONEY

**FEATURES CEMENT  
FIBREMESH FACE FOR  
TILING DIRECT OR  
OVERLAYING WITH  
OTHER FLOORING**

**FOR 10-16MM  
UNDERFLOOR  
HEATING PIPES**



# WATERPROOF MEMBRANE

MAKE YOUR BATHROOM / WET ROOM AREA  
**100% WATERPROOF**  
ON JOINTS & CORNERS  
WITH WATERPROOF MEMBRANE\*



\*note - requires tanking paste - sold separately

# WATERPROOF INTERNAL CORNERS

IDEAL FOR SHOWER TRAYS, BATHS & CORNERS



02920 098 016



[sales@tilebackerboard.co.uk](mailto:sales@tilebackerboard.co.uk)



[tilebackerboard.co.uk](http://tilebackerboard.co.uk)



The Levels, Capital Business  
Park Cardiff CF3 2PU




[TILEBACKERBOARD.CO.UK](http://TILEBACKERBOARD.CO.UK)



PRICE MATCH  
GUARANTEE  
TO BEAT ANY  
WRITTEN  
QUOTATION

# THE UK'S LEADER IN 6MM/10MM/12MM TILE BACKER BOARDS

**1200mm x 600mm**



PLUS

# BULK

**BULK DISCOUNTS  
FOR PALLET  
QUANTITIES  
100/150/200/300**




[WWW.TILEBACKERBOARD.CO.UK](http://WWW.TILEBACKERBOARD.CO.UK)

## 36MM STEEL WASHERS FOR FIXING TILE BACKER BOARDS

**15**  
PER BOARD



**2** Recommended 10/12mm for walls  
6/10mm for Floors



**4** Manufacturers recommend  
15 fixings per board

**3** Fixing to firm surface, either  
direct to timber stud frame or  
other using 36mm washers  
(sold separately) + suitable screw

## TILE BACKER WASHER BULK PACKS

500

1,000

2,000


5,000

10,000




## TILE BOARD SHOWER TRAYS 1200MM X 1000MM

UNIVERSAL FIT - SIMPLY CUT TO SIZE  
AND TILE DIRECTLY



## TILE BACKER BOARD SHOWER WALL NICHE PRE-CAST IN 1 PIECE

MAKE YOUR SHOWER  
WALL NICHE 100%  
WATERPROOF & SEALED



300mm x 300mm or 510mm x 300mm  
89mm Deep - 10mm Thick Board\*

## TILE DECOUPLING MAT ANTI-CRACKING MATTING

A MUST FOR SUBFLOORS SUBJECT TO MOVEMENT / CRACKING  
SUCH AS TIMBER FLOOR  
BOARDS or CONCRETE



### ROLLS SIZES

5sqm

20sqm


10sqm

25sqm


15sqm

30sqm

### TIMBER SUBFLOOR



### CONCRETE SUBFLOOR





# MDF WALL SLATS / STRIPS FOR PANELLED / SHAKER EFFECT WALL DESIGN



being easy to clean

## MDF WALL SLAT PANELS

**SOLD IN PACKS OF 10**  
Create your own shaker  
wall design - simply  
glue or screw fix to  
existing wall



## MDF SLATWALL STRIPS


**240 x 1190 x 18 mm**

**SOLD IN PACKS OF 5**  
Each pack covers 1.2m  
linear metres of wall width  
Paint over a colour of your  
choice



## BULK DISCOUNTS FOR LARGE CONTRACTS AND BESPOKE MDF PRODUCTS UPON REQUEST FOR QUANTITIES

### BULK CUSTOMISATION



**CUSTOM WIDTH, PROFILES & FINISHES  
FOR ALL MDF PRODUCTS IN BULK**

CONTACT US FOR DETAILS

If you're a contractor with bespoke projects / needs for MDF material, albeit skirting board, architrave, or mdf strips - please contact us for bespoke quotes on bulk requirements.

### BULK PALLET QUANTITY



Palletised Quantities  
with Bulk  
Discounts on volume  
projects

02920 098 019

sales@mdfwarehouse.com

www.MDFWarehouse.com

The Levels, Capital Business  
Park, Cardiff, CF3 2PU



MDFWAREHOUSE.com



**NEXT DAY  
DELIVERY**



**PRICE MATCH  
GUARANTEE  
TO BEAT ANY  
WRITTEN  
QUOTATION**

**MDF SUPPLIES DIRECT  
TO THE TRADE**  
**MDF SKIRTING BOARD,  
DOOR LINERS  
ARCHITRAVE  
DECORATIVE WALL SLATS  
WINDOW CILS**

MDFWAREHOUSE.com

# MDF PRIMED DOOR LINERS

**UNIVERSAL Size – 1m wide Head simply cut to suit your door size**

5 widths to suit any wall depth:

- 95mm
- 108mm
- 131mm
- 150mm
- 170mm

## STANDARD PRIMED MDF DOOR LINERS

**95MM, 108MM, 131MM, 150MM, 170MM**

Standard door frame liner for ancillary rooms / bathrooms  
2 Coats primer  
c/w 12mm door jamb / stops

## FD30/FD60 FIRE RATED DOOR LINERS c/w 10mm TRENCH

**95MM, 108MM, 131MM, 150MM, 170MM**

FD30/FD60 Fire Rated Door Frame Liners  
Certified by SGS\* – c/w 10mm Trench for intumescent strip & 25mm Door Jamb/Stops



**c/w OPTIONAL INTUMESCENT STRIPS**

**BRUSHED FIRE & SMOKE SEALS**

**intertek**

Total Quality. Assured.

**FD30/60 INTUMESCENT STRIPS**

# MDF PRIMED WHITE SKIRTING BOARD

Supplied with 2x Coats White Primer Ready for Painting

## V-GROOVE BULLNOSE SKIRTING 4"/6" x 18mm



**V Groove**

**4" 100MM  
6" 140MM  
x 18MM THICK**

Simplistic, Modern Design makes V-Groove Bullnose Skirting a favourite amongst developers & contractors alike

## TORUS / OGEE SKIRTING BOARD 5"/6" x 18mm



**Torus /Ogee**

**5" 120MM  
6" 150MM  
x 18MM THICK**

A more traditional antique / vintage look skirting board ideal for period properties

## PENCIL ROUNDNOSE SKIRTING 4"/6" x 15mm




**Pencil Roundnose**

**4" 100MM  
6" 140MM  
x 15MM THICK**

Simplistic Pencil Roundnose skirting is better suited to high footfall & commercial applications being easy to clean / maintain

## CHAMFERED MDF SKIRTING BOARD 4"/6" x 18mm



**Chamfered**

**4" 100MM  
6" 150MM  
x 18MM THICK**

Simplistic Chamfered skirting is suited to high footfall & commercial applications being easy to clean / maintain

**5MM Rebate for cables**

# MDF PRIMED WHITE ARCHITRAVE 65MM X 15MM

## V-GROOVE

Simplistic, Modern Design makes V-Groove Bullnose Skirting a favourite amongst developers & contractors alike



## SQUARE EDGE



## MDF WINDOW CILL BOARD




MDF Moisture Resistant Window Cill Boards come with 2 coats primer ready for top coat painting saving time and money. 219mm Deep x 19mm thick, sold in 3 sizes or can be cut to your requirement

**219MM DEEP X 19MM THICK**

**3 LENGTHS: 1.2M / 2.0M / 2.7M**





# SPC FLOORING STORE.COM



Suitable For



AC5 Commercial



High Traffic



AC4 Domestic



Office



Kitchen



Bathroom\*

## Feature



Non-Scratch



R10 Non Slip



Stain-Resistant



Antimicrobial



Built-in Underlay



100% Waterproof



SPC Click Flooring •

SPC Click Herringbone Flooring •

SPC Click MagicStone Flooring •

# SPC FLOORING STORE



SCAN HERE TO GET  
A QUOTE & ORDER  
SAMPLES ONLINE



[www.spcflooringstore.com](http://www.spcflooringstore.com)  
02920 098 020  
[sales@spcflooringstore.com](mailto:sales@spcflooringstore.com)





● 1100x184x5.2mm/0.3mm  
(4.2mm SPC+1mm EVA)



Grey

G510



Light Oak

OP502



Dark Oak

ER1605



## SPC Click Flooring



● 640x128x6mm/0.5mm  
(5mm+1mm EVA)



Authentic Oak

HL7606



● 640x128x6mm/0.5mm  
(5mm+1mm EVA)



Grey

HG555

## SPC Click Herringbone Flooring



● 610x305x4.5mm/0.5mm



Cement Grey

ML1304



## SPC Click MagicStone Flooring - Imitation Tiles



# COMPOSITE FENCING

TONGUE & GROOVE DESIGN  
SOLD IN 1.8M LENGTHS.  
SIMPLY STACK TO THE  
DESIRED FENCING HEIGHT



2 COLOURS

ASH GREY,  
ANTHRACITE GREY



## ALUMINIUM FENCING POSTS POWDER COATED BLACK



ROOT/ CONCRETE  
IN-GROUND



BOLT DOWN SURFACE  
MOUNT C/W BASE PLATE



HAVE A PROJECT OR NEED A QUOTE?  
EMAIL US WITH DIMENSIONS  
L X W OR SQUARE METERAGE FOR  
A QUOTE & SAMPLES.



02920 098 018



[sales@compositedeckinguk.com](mailto:sales@compositedeckinguk.com)



[www.compositedeckinguk.com](http://www.compositedeckinguk.com)




The Levels, Capital  
Business Park, Cardiff, CF3 2PX



OMPOSITEDECKINGUK.COM

# WPC COMPOSITE DECKING



## MAINTENANCE FREE COMPOSITE WPC DECKING & FENCING


8 COLOURS & GRAINS  
WITH A 25 YEAR  
SERVICE LIFE



OMPOSITEDECKINGUK.COM


# COMPOSITE WPC DECKING BOARDS

## GREY SERIES



**2 COLOURS**


ASH GREY,  
ANTHRACITE GREY



**2 PATTERNS**

LINED VERSION  
OR WOOD GRAIN EFFECT PATTERN

## NATURAL SERIES TEAK BROWN



60 MIN

## NEED A QUOTE?

CONTACT US WITH DIMENSIONS  
L X W OR SQUARE METERAGE FOR  
A QUOTE WITHIN 60 MINUTES.

# COMPOSITE DECKING ACCESSORIES

## DECKING CORNER EDGING

4 COLOURS SOLD  
IN 3M LENGTHS



**L SHAPE  
PROFILE  
45MM X 45MM**

## COMPOSITE DECKING HIDDEN CONCEALED FIXING CLIPS


INTERMEDIATE T CLIPS  
STAINLESS STEEL OR  
MATT BLACK




STARTER C CLIPS  
STAINLESS STEEL  
OR MATT BLACK



MAX 400MM  
JOINT CENTERS



MAX 30MM  
OVERHANG



MIN 30MM  
ON JOIST



5MM EXPANSION  
GAP




# COMPOSITE JOISTS 50M X 100MM

IDEAL FOR DECKING SUBFRAMES  
THAT LAST THE LIFE OF THE DECKING  
OR ASSEMBLING GARDEN  
FURNITURE / FENCING / BORDERS ETC.



## ADJUSTABLE HEIGHT DECKING PEDESTALS

60-140MM HEIGHT ADJUSTABLE  
1700KG LOAD CAPACITY. IDEAL FOR  
300-400MM JOIST CENTRES







Optional Mounting Feet for freestanding use (TIW01-XXXX-FT)



Easy set up built in 24/7 program & thermostat



Lockable clear control panel with LCD display for anti-kipper operation



1year

ERP  
Compliant

IPX4

LOT20

24/7  
Controls

## 1kw / 1.5kw / 2kw Electric Panel Heater Radiator – LOT20/ERP Compliant c/w 24/7 Thermostat

**-[RANGE OF SIZES]** 1kw (1000W) / 1.5kw (1500W) / 2kw (2000W) Electric Panel Heater Radiator suits rooms of all sizes from 5 - 25m<sup>2</sup> low profile design at only 65mm deep (100mm including wall mounting bracket) means minimal disturbance to surroundings especially important in smaller rooms, corridors etc


**- [WALL MOUNT OR FREESTANDING]** Electric panel heater is supplied complete with wall mount bracket, lockable retaining clips & screws / wall plugs (must have 300mm/30cm clearance around all sides) as well as optional mounting feet for freestanding use (Partcode: TIW01-XXXX-FT). C/W 1.2m flex (exits heater from right hand side as viewed from the front) + UK 10A fused 3-pin plug for ease of install

**- [LOT20 & ERP COMPLIANT]** Complies with modern UK & European energy efficiency building regulations Part L, suitable for new build heating applications - electric convector heating in rooms such as living room bedroom, hallway etc. Window detection to avoid wasteful heat loss in case of open door/window and 24/7 heating controls / thermostat


**- [BUILT IN 24/7 TIMER & THERMOSTAT]** Easy to use LED Display and pre-set programs + built in electronic 24/7 timer with thermostat, set the desired temperature across every hour of the week based on individual users / room needs, complete with built in program memory - panel heaters thermostat accurately monitors the ambient temperature and automatically turns on/off heater when required for optimum energy saving controls

**- [BUILT IN SAFETY & ENERGY SAVING FEATURES]** IP24 rated, ideal for use in all internal spaces as well as certain zones in a bathroom (qualified installer to confirm which zones & safe distances) & open window detection - detects large drops in ambient temperature ie. from an open window/door and will reactively pause the system. It will then reset and resume activity once the temperature has stabilised. This drastically decreases energy use/loss in line with LOT20 directives.

Code	Nominal Size	Power Consumption	Room size
TIW01-1000	Height 430mm x Length 515mm x Depth 65mm	1000W / 1KW	8-10m <sup>2</sup>
TIW01-1500	Height 430mm x Length 645mm x Depth 65mm	1500W / 1.5KW	12-15m <sup>2</sup>
TIW01-2000	Height 430mm x Length 815mm x Depth 65mm	2000W / 2KW	>20m <sup>2</sup>



65mm  
(100mm  
with wall  
bracket)



515mm / 645mm / 815mm

430mm



### Technical Specifications

Weight: 3.2kg / 3.9kg / 4.8kg

24 hour clock / 7 day control panel

Input Voltage: AC 220-240V 50-60Hz

3-Pin UK 10A Fused Plug + 1.2m White Flex (RHS)

Operating Temperature: 5°C to 35°C  
(anti-frost protection mode at 7°C)

Colour: RAL9001 Signal White

Eco / Comfort / Frost Protection Mode

Slimline at 65mm depth (excludes bracket)

Overheat safety protection

### Electric Panel Heater – LOT20 / ERP

1KW / 1.5KW / 2KW

# ACCESSORIES

WINDOW VISION PANELS  
DOUBLE GLAZED

OPTIONAL ADD ONS  
SELF INSTALLATION REQUIRED

LINEAR  
220MM W x  
1500MM H

SQUARE  
400MM W x  
400MM H

OPTIONAL ADD ONS  
SELF INSTALLATION REQUIRED

## LOUVRE AIR VENTS

IDEAL FOR BIN STORES,  
PLANT ROOMS ETC.

500MM W X 300MM H



Self Installation Required

## VANITY FRAME SURROUND

CONCEAL ANY GAPS BETWEEN  
THE FRAME AND YOUR APERTURE  
WALL WITH THIS SURROUND  
ARCHITRAVE TRIM.

SAVES TIME WITH SILICONE /  
EXPANDING FOAM



## CUSTOM BESPOKE SIZES & DOUBLE DOORS MADE TO ORDER

LOOKING FOR A SIDE, COLOUR OR SPEC  
NOT COVERED BY OUR STANDARD  
STOCK RANGE? CONTACT US WITH  
YOUR REQUIREMENTS, DRAWINGS OR  
OTHER FOR A QUOTE ON A BESPOKE  
SIZE DOOR, SINGLE, DOUBLE, ANY RAL  
COLOUR



ANY RAL COLOUR

## CONTACTS



02920 098 017



sales@securitysteeldoor.com



securitysteeldoor.com



The Levels, Capital Business Park,  
Cardiff, CF3 2PX



SECURITY STEEL




SINGLE POINT LOCKING  
STEEL PERSONNEL DOORS  
FROM STOCK

- 24hr Nationwide Delivery



NEXT DAY  
DELIVERY

PRE-HUNG IN FRAME  
4 X STAINLESS STEEL HINGES,  
STAINLESS STEEL HANDLE BOTH SIDES,  
THUMB-TURN INTERNAL LOCK  
3 X KEYS EXTERNAL c/w EURO CYLINDER



OPEN IN or OUT  
HINGED LEFT or RIGHT



## LOOKING TO FILL AN EXISTING HOLE / APERTURE? ADD ON INFIL/EXPANSION PANELS WIND OUT TO FILL ANY GAP


**SIDE EXPANSION PANELS - ADJUST ANY WIDTH FROM 10mm to 100mm**

**FIT APERTURE 840MM TO 1140MM WIDTH**



**TOP HEADER PANEL TO FILL HEIGHT BY 10mm to 75mm**

**HEIGHT: 2035MM TO 2110MM MAX**



**4 COLOURS FROM STOCK - MATT FINISH POWDER COATED**  
POWDER COATED INTERNAL & EXTERNAL PLUS FRAME

**RAL 9003 WHITE**

**RAL 7016 ANTHRACITE GREY**

**RAL 9005 JET BLACK**

**RAL 6007 JUNIPER GREEN**



**ANY RAL COLOUR ON REQUEST WITH CUSTOM MADE MODELS**

## 9-POINT / MULTI-POINT LOCKING HIGH SECURITY DOORS FOR EXTRA SECURITY WITH TOP & BOTTOM LOCKING POINTS



**NEXT DAY DELIVERY**


**4 X STAINLESS STEEL HINGES, STAINLESS STEEL HANDLE BOTH SIDES, THUMB-TURN INTERNAL + 3 X KEYS EXTERNAL**



**HIGH SECURITY STEEL DOOR 9 POINT LOCKING**



## PAS24 CERTIFIED DOORS



**CERTIFIED SECURITY DOORS TO COMPLY WITH PAS 24: 2022 - ENSURE THEY CAN RESIST A LEVEL OF ATTACK FROM AN OPPORTUNIST BURGLAR - IDEAL FOR COMMERCIAL USE AND RESIDENTIAL DWELLINGS WHERE BUILDING REGULATIONS APPROVED DOCUMENT Q IS REQUIRED**



## FIRE RATED STEEL SECURITY DOORS

**FD30, FD60, FD120 AND FD240 MINUTE FIRE RATED DOORS CERTIFIED BY SGS®**



**FIRE RATED DOORS UP TO 240 MINUTE FOR AREAS WHERE FIRE RATED DOORS ARE REQUIRED**



**DUAL CERTIFIED MODELS ALSO AVAILABLE\***



## FIRE EXIT DOOR WITH PUSH PAD

**Optional Outside Door Access Device & Keylock - ideal for areas where Emergency Exit Escape Routes are Required**



**EXIDOR ASSA ABLOY**

**Briton**