


At CDB, we see things differently. The bulky 2-tonne steel box which has trav-Elled the world & seen more cargo than most could ever dream of, is the idyllic BUILDING BLOCK IN A CRAFT REFERRED TO AS 'CARGOTECTURE'.

WHETHER YOU'RE LOOKING TO ADD THAT GARDEN HOME OFFICE OR ANNEXE, OPEN A POP-UP RESTAURANT/CAFE OR CREATIVE AN INSPIRATIONAL UNIQUE WORKSPACE FOR YOUR BUSINESS, WE CAN HELP YOU VISUALISE YOUR DREAMS WITH OUR HIGH-END DESIGN FABRICATED SHIPPING CONTAINER SPACES.

Our UK design team will work diligently to help you draw up a brief and realise YOUR GOAL, SUPPORTED BY BOTH 3D VISUALISATIONS & ARCHITECTURAL BLUEPRINTS. WORK doesn't commence until its 100% signed-off by both the client & the team, in which THE DESIGN TEAM ARE THEN TASKED WITH BRINGING THOSE IDEAS INTO REALITY, WORKING ALONGSIDE THE WORKSHOP TO ENSURE THE HIGHEST LEVEL OF CRAFTSMANSHIP THROUGHOUT.

The final step and perhaps the most exciting is commissioning day—in which we de-LIVER, INSTALL AND CELEBRATE THE WIDELY ANTICIPATED GRAND REVEAL TO YOU THE CLIENT.



### What would you prefer? Can you think of something else?



# Step 1 DIMENSIONS Step 3 Exterior Step 5





## We will help you design your ideal space.





Step 2 STRUCTURAL FEATURES



Step 4 INTERIOR




Step 6 Appliances



Step 8 Get Inspired!






WE OFFER ANY RAL COLOUR FINISH AS ALL OUR PROJECTS ARE BESPOKE.




Single coat anticorrosive coating, specially developed for dry cargo transport containers, ISO tank containers and anti vandal industrial steel fabrications. It contains zinc phosphate anticorrosive pigment and thus offers a high level of anticorrosive protection in aggressive environments, tested for resistance to BS148 transformer oil for 196 hours at  $90^{\circ}C$  at approx. 100 µm.


50mm - 120mm\* Spray polyurethane foam insulation (\* depends on spec) fire rated class I - BS 476

U-value 25mm = 0.84 (Ideal for inside buildings) U-value 50mm = 0.437 (Ideal for Garden rooms, offices etc.) U-value 75mm = 0.295 (BS32 Mobile Park Home spec) U-value 100mm = 0.225 (Full building reg spec)





1.6 mm corten steel













## Step 7 \_\_\_\_\_ Furnishings

#### Wetroom



IDEAL STANDARD DUAL FLUSH 6 LTR





IDEAL STANDARD CONCEPT



IDEAL STANDARD IDEALITE LOW PROFILE TOP SHOWER TRAY 760мм х 760мм



OR UPGRADE TO PREMIUM...



DURAVIT HAPPY D.2 TOILET





DURAVIT HAPPY D.2 HANDWASH BASIN









Light Beige

NEARLY BLACK



Toffee Brown

BLACK



Light Grey

BLOOD RED

Makro Oak Brown







#### Engineered wood flooring – 18MM

Natura Oak

STATEN ISLAND









Ash Langford














#### Altro Non-Slip commercial grade flooring





#### CONTACT

02920 099 096 hello@containerconversiondb.co.uk

#### LOCATION

Fab Shop: Twyn Mawr Farm, Felindre, Swansea SA5 7PL Southern Office: Capital Business Park, Cardiff, CF3 2PX Northern Office: Delta Court, Sky Business Park, Doncaster, DN9 3GN

#### HOURS

Monday - Friday: 8am - 6pm Saturday: 9am - 5pm

\$

